

# **EUROPEAN PERINATAL HEALTH REPORT**

Health and care of pregnant women and babies in Europe in 2010











## **TABLE OF CONTENTS**

	of Fig of Ta	gures bles	6 7
1.	EXE	CUTIVE SUMMARY	9
2.	SUR\ 2.1 2.2 2.3 2.4	Why monitor perinatal health in Europe? Perinatal health in Europe: the Euro-Peristat project European Perinatal Health Report The future	23 24 27 29 30
3.	3.1 3.2 3.3 3.4 3.5 3.6 3.7	FOR PERINATAL HEALTH MONITORING IN EUROPE  EURO-PERISTAT data collection process  Data sources  Collaboration with European registries (EUROCAT and SCPE)  Registration criteria for births and deaths  Comparing perinatal health data  Data availability  Conclusions and recommendations for improving health reporting	35 36 36 38 39 40 41 44
4.	C7 C8 C9 R8 R9 R10 R11	Multiple births by number of fetuses Maternal age at delivery Distribution of parity Smoking during pregnancy Mothers' educational level Parents' occupational classification Mothers' country of birth Distribution of maternal prepregnancy body mass index (BMI)	51 52 56 60 63 66 69 69
5.	THE C10 R13 R14 R15 R16 R17	CARE OF PREGNANT WOMEN AND BABIES DURING PREGNANCY AND POSTPARTUM PERIOD  Mode of delivery  Pregnancies following subfertility treatment  Timing of first antenatal visit  Mode of onset of labour  Place of birth by volume of deliveries  Very preterm births delivered in maternity units without an on-site neonatal intensive care unit (NICU)  Episiotomy rate  Births without obstetric intervention	75 77 83 87 90 93 98 101 103
	R20	Breast feeding in the first 48 hours after birth	

MOTI C6 R5 R6 R7	Maternal mortality ratio Maternal mortality by cause of death Incidence of severe maternal morbidity Incidence of tears to the perineum	107 109 115 118 121
BABI	ES' HEALTH: MORTALITY AND MORBIDITY DURING PREGNANCY AND	
IN TH	IE FIRST YEAR OF LIFE	125
C1	Fetal mortality	126
C2	Neonatal mortality	134
C3	Infant mortality	141
C4	Distribution of birth weight	147
C5	Distribution of gestational age	152
R2	Distribution of 5-minute Apgar scores among live births	157
R3	Fetal and neonatal deaths due to congenital anomalies	160
INDI	CATORS FROM OTHER EUROPEAN NETWORKS	165
8.1	EUROCAT: Prevalence of Congenital Anomalies (R1)	166
8.2	SCPE: Prevalence of Cerebral Palsy (R4)	182
PEND	ICES	191
	C6 R5 R6 R7 BABI IN TH C1 C2 C3 C4 C5 R2 R3 INDIC 8.1 8.2	R5 Maternal mortality by cause of death R6 Incidence of severe maternal morbidity R7 Incidence of tears to the perineum  BABIES' HEALTH: MORTALITY AND MORBIDITY DURING PREGNANCY AND IN THE FIRST YEAR OF LIFE C1 Fetal mortality C2 Neonatal mortality C3 Infant mortality C4 Distribution of birth weight C5 Distribution of gestational age R2 Distribution of 5-minute Apgar scores among live births R3 Fetal and neonatal deaths due to congenital anomalies  INDICATORS FROM OTHER EUROPEAN NETWORKS 8.1 EUROCAT: Prevalence of Congenital Anomalies (R1)

## **AUTHORS AND ACKNOWLEDGEMENTS**

#### **REPORT EDITORS**

Jennifer Zeitlin (INSERM, France) Ashna Mohangoo (TNO Child Health, the Netherlands). Marie Delnord (INSERM, France)

#### **WRITING COMMITTEE**

Sophie Alexander, Béatrice Blondel\*, Marie-Hélène Bouvier-Colle, Nirupa Dattani, Marie Delnord\*, Mika Gissler\*, Alison Macfarlane\*, Ashna Mohangoo\*, Karin van der Pal, Katarzyna Szamotulska\*, Jennifer Zeitlin\*, Wei Hong Zhang

### \* Editorial Supervision

#### **ASSISTANCE WITH MAPS**

Nicholas Lack

#### **AUTHORS FROM SCPE**

Christine Cans, Allan Colver, Ingeborg Krägeloh-Mann, Mary-Jane Platt, Javier de la Cruz on behalf of SCPE Collaboration (contact information in Appendix A2)

#### **AUTHORS FROM EUROCAT**

Rhonda Curran, Maria Loane, Ruth Greenlees, Helen Dolk (contact information in Appendix A2)

### **DATA COLLECTION**

TNO Child Health was responsible for data collection, management, and analysis. Coordinator: Ashna Mohangoo. Programmer: Ab Rijpstra

#### **EURO-PERISTAT EXECUTIVE BOARD**

Jennifer Zeitlin (Project Coordinator)
Ashna Mohangoo (Data Collection Coordinator)
Marie Delnord (Project Manager)
Sophie Alexander
Béatrice Blondel
Marie-Hélène Bouvier Colle
Mika Gissler
Alison Macfarlane
Karin van der Pal
Katarzyna Szamotulska



Austria: Gerald Haidinger Belgium: Sophie Alexander Cyprus: Pavlos Pavlou Czech Republic: Petr Velebil Denmark: Jens Langhoff Roos

Estonia: Luule Sakkeus Finland: Mika Gissler France: Béatrice Blondel Germany: Nicholas Lack Greece: Aris Antsaklis

Iceland: Helga Sól Ólafsdóttir Hungary: István Berbik Ireland: Sheelagh Bonham Italy: Marina Cuttini Latvia: Janis Misins

Lithuania: Jone Jaselioniene Luxembourg: Yolande Wagener

Malta: Miriam Gatt Netherlands: Jan Nijhuis Norway: Kari Klungsoyr

Poland: Katarzyna Szamotulska Portugal: Henrique Barros Romania: Mihai Horga Slovakia: Ján Cáp

Slovenia: Živa Novak-Antolic Spain: Francisco Bolúmar Sweden: Karin Gottvall Switzerland: Sylvie Berrut

United Kingdom: Alison Macfarlane

#### DATA PROVIDERS AND OTHER CONTRIBUTORS (LISTED IN APPENDIX A1)

This report would not have been possible without the time and effort of data providers who produced the data for this report and reviewed and commented on the tables and manuscript.

#### PROJECT COORDINATION

The Euro-Peristat project is coordinated by INSERM, Paris.

#### **FINANCING**

The Euro-Peristat project is cofinanced by the Health Programme of the European Commission's Directorate General for Health and Consumers, which also provides funding for SCPE and EUROCAT.

Editing support was provided by Jo Ann Cahn.

## **LIST OF FIGURES**

Figure 2.1	Total fertility rates in European countries in 2010	26
Figure 3.1	Percentage of countries that provided the Euro-Peristat core indicators	
	in 2010	42
Figure 3.2	Percentage of countries that provided the Euro-Peristat recommended	
	indicators in 2010	43
Figure 4.1	Multiple birth rates per 1000 women with live births or stillbirths by number	_
F: 4.2	of fetuses in 2010	54
Figure 4.2	Twin birth rates per 1000 women in 2004 and 2010	55
Figure 4.3	Age distribution of women delivering live births or stillbirths in 2010	58
Figure 4.4	Mothers aged younger than 20 years as a percentage of all pregnancies with known maternal age in 2010	59
Figure 4.5	Mothers aged 35 years and above as a percentage of all pregnancies	
	with known maternal age in 2010	59
Figure 4.6	Percentage of mothers 35 or older in 2004 and difference between 2010 and 2004	60
Figure 4.7	Distribution of parity for women delivering live births or stillbirths in 2010	62
Figure 4.8	Distribution of mothers' educational level in 2010	68
Figure 4.9	Distribution of maternal prepregnancy body mass index (BMI) in 2010	74
Figure 5.1	Percentage of births by mode of delivery in 2010	80
Figure 5.2	Percentage of births by type of caesarean section in 2010	81
Figure 5.3	Caesareans as a percentage of all births in 2010	82
Figure 5.4	Percentage of births by caesarean section in 2004 and change 2004-2010	83
Figure 5.5	Percentage of women with live births and stillbirths in 2010 following	
	treatment for subfertility	86
Figure 5.6	Distribution of initiation of antenatal care after the first trimester in 2010	89
Figure 5.7	Distribution of mode of onset of labour in 2010	92
Figure 5.8	Distribution of births by maternity unit volume of deliveries in 2010	96
Figure 5.9	Percentage of births in units with 3000 or more births per year in 2004 and 2010	97
Figure 5.10	· · · · · · · · · · · · · · · · · · ·	
_	vaginal deliveries in 2010	102
Figure 5.11	Episiotomy rates in 2004 and changes between 2010 and 2004 among	
	women with vaginal deliveries	103
_	Distribution of exclusive and mixed breast feeding for the first 48 hours in 2010	
Figure 6.1	Maternal mortality ratio, 2006-2010	113
Figure 6.2	Maternal mortality ratios from routine statistics and from enhanced	
F: 6.3	systems, 2006-2010	114
Figure 6.3	Maternal mortality ratios by maternal age in Europe in 2003-2004 and 2006-2010	114
Figure 6.4	Maternal mortality ratios by obstetric causes, data pooled from all national data provided for 2003-2004 and 2006-2010	117
Figure 6.5	Maternal morbidity: rates of eclampsia and of hysterectomy for postpartum haemorrhage in 2010	120
Figure 6.6	Incidence of third- and fourth-degree tears to the perineum in 2010	123
Figure 7.1	Fetal mortality rates per 1000 total births in 2010	131
Figure 7.2	Percentage of fetal deaths by gestational-age and birthweight groups from all	
-	countries contributing data by these subgroups in 2010	132
Figure 7.3	Comparison of fetal mortality rates at or after 28 weeks in 2004 and 2010	133
Figure 7.4	Early and late neonatal mortality rates per 1000 live births in 2010	137
Figure 7.5	Neonatal mortality rates per 1000 live births for all live births and live births at and after 24 weeks of gestation in 2010	138

Figure 7.6	Distribution of neonatal deaths by gestational-age and birthweight groups for all live births at or after 22 weeks of gestation in all countries contributing data in 2010	139
Figure 7.7	Comparison of neonatal mortality rates at or after 24 weeks in 2004 and 2010	140
Figure 7.7	Infant mortality rates per 1000 live births at or after 22 weeks in 2010	144
Figure 7.9	Distribution of infant deaths by gestational-age and birthweight subgroups in 2010	145
Figure 7 10	Comparison of infant mortality rates at or after 22 weeks (2010 vs. 2004)	146
_	Percentage of live births with a birth weight under 2500 grams in 2010	149
_	Map of distribution of live births with low birth weight (<2500 grams) in 2010	150
•	Percentage of live births with birth weight under 2500 grams in 2004 and difference between 2010 and 2004	151
Figure 7.14	Percentage of live births with a gestational age <32 weeks and between 32-36 weeks in 2010	155
Figure 7.15	Percent of preterm live births in 2004 and difference between 2010 and 2004	156
_	Percentage of live births with a 5-minute Apgar score less than 4 and less than 7 in 2010	159
Figure 7 17	Percentage of fetal deaths due to congenital anomalies in 2010	162
_	Percentage of neonatal deaths due to congenital anomalies in 2010	163
Figure 8.1	Total prevalence rates per 1000 births (including live births, fetal deaths and TOPFAs) for spina bifida, cleft lip (with or without palate) and Down	.05
	syndrome (2006-2010)	180
Figure 8.2	Prevalence of Cerebral Palsy (3-year moving average), in Children of	
	Normal Birth weight from 15 European Registers, 1980-1998	185
LIST OF	TABLES	
Table 2.1	Euro-Peristat indicators (C=core, R=recommended)	28
Table 2.1 Table 3.1	EURO-PERISTAT indicators (C=core, R=recommended) Main sources of data used by EURO-PERISTAT in 29 European countries for 2010	28 46
	Main sources of data used by Euro-Peristat in 29 European countries	
Table 3.1	Main sources of data used by Euro-Peristat in 29 European countries for 2010 Inclusion criteria for births and deaths provided to the Euro-Peristat project for 2010 Estimates of proportion of women smoking during pregnancy in routine	46 47
Table 3.1 Table 3.2 Table 4.1	Main sources of data used by Euro-Peristat in 29 European countries for 2010 Inclusion criteria for births and deaths provided to the Euro-Peristat project for 2010 Estimates of proportion of women smoking during pregnancy in routine data according to period for which data were collected in 2010	46
Table 3.1 Table 3.2	Main sources of data used by Euro-Peristat in 29 European countries for 2010 Inclusion criteria for births and deaths provided to the Euro-Peristat project for 2010 Estimates of proportion of women smoking during pregnancy in routine data according to period for which data were collected in 2010 Proportion of women with live births or stillbirths who were of foreign	46 47 65
Table 3.1 Table 3.2 Table 4.1 Table 4.2	Main sources of data used by Euro-Peristat in 29 European countries for 2010 Inclusion criteria for births and deaths provided to the Euro-Peristat project for 2010 Estimates of proportion of women smoking during pregnancy in routine data according to period for which data were collected in 2010 Proportion of women with live births or stillbirths who were of foreign origin (or nationality or ethnicity) as defined by country of birth in 2010	46 47
Table 3.1 Table 3.2 Table 4.1	Main sources of data used by Euro-Peristat in 29 European countries for 2010 Inclusion criteria for births and deaths provided to the Euro-Peristat project for 2010 Estimates of proportion of women smoking during pregnancy in routine data according to period for which data were collected in 2010 Proportion of women with live births or stillbirths who were of foreign origin (or nationality or ethnicity) as defined by country of birth in 2010 Percentage of very preterm babies born in the most specialised units as	46 47 65 71
Table 3.1 Table 3.2 Table 4.1 Table 4.2 Table 5.1	Main sources of data used by Euro-Peristat in 29 European countries for 2010 Inclusion criteria for births and deaths provided to the Euro-Peristat project for 2010 Estimates of proportion of women smoking during pregnancy in routine data according to period for which data were collected in 2010 Proportion of women with live births or stillbirths who were of foreign origin (or nationality or ethnicity) as defined by country of birth in 2010 Percentage of very preterm babies born in the most specialised units as defined by national classifications of levels of care in 2010	46 47 65
Table 3.1 Table 3.2 Table 4.1 Table 4.2	Main sources of data used by Euro-Peristat in 29 European countries for 2010 Inclusion criteria for births and deaths provided to the Euro-Peristat project for 2010 Estimates of proportion of women smoking during pregnancy in routine data according to period for which data were collected in 2010 Proportion of women with live births or stillbirths who were of foreign origin (or nationality or ethnicity) as defined by country of birth in 2010 Percentage of very preterm babies born in the most specialised units as defined by national classifications of levels of care in 2010 Coverage of the European population, birth year 2010, by EUROCAT full	46 47 65 71 100
Table 3.1 Table 3.2 Table 4.1 Table 4.2 Table 5.1 Table 8.1.	Main sources of data used by Euro-Peristat in 29 European countries for 2010 Inclusion criteria for births and deaths provided to the Euro-Peristat project for 2010 Estimates of proportion of women smoking during pregnancy in routine data according to period for which data were collected in 2010 Proportion of women with live births or stillbirths who were of foreign origin (or nationality or ethnicity) as defined by country of birth in 2010 Percentage of very preterm babies born in the most specialised units as defined by national classifications of levels of care in 2010 Coverage of the European population, birth year 2010, by EUROCAT full or associate member registries	46 47 65 71
Table 3.1 Table 3.2 Table 4.1 Table 4.2 Table 5.1	Main sources of data used by Euro-Peristat in 29 European countries for 2010 Inclusion criteria for births and deaths provided to the Euro-Peristat project for 2010 Estimates of proportion of women smoking during pregnancy in routine data according to period for which data were collected in 2010 Proportion of women with live births or stillbirths who were of foreign origin (or nationality or ethnicity) as defined by country of birth in 2010 Percentage of very preterm babies born in the most specialised units as defined by national classifications of levels of care in 2010 Coverage of the European population, birth year 2010, by EUROCAT full or associate member registries Prevalence rates (per 1000 births) of EUROCAT congenital anomaly	46 47 65 71 100 174
Table 3.1 Table 3.2 Table 4.1 Table 4.2 Table 5.1 Table 8.1. Table 8.2	Main sources of data used by Euro-Peristat in 29 European countries for 2010 Inclusion criteria for births and deaths provided to the Euro-Peristat project for 2010 Estimates of proportion of women smoking during pregnancy in routine data according to period for which data were collected in 2010 Proportion of women with live births or stillbirths who were of foreign origin (or nationality or ethnicity) as defined by country of birth in 2010 Percentage of very preterm babies born in the most specialised units as defined by national classifications of levels of care in 2010 Coverage of the European population, birth year 2010, by EUROCAT full or associate member registries Prevalence rates (per 1000 births) of EUROCAT congenital anomaly subgroups (2006-2010), for all EUROCAT full member registries combined*	46 47 65 71 100 174 176
Table 3.1 Table 3.2 Table 4.1 Table 4.2 Table 5.1 Table 8.1. Table 8.2 Table 8.3.	Main sources of data used by Euro-Peristat in 29 European countries for 2010 Inclusion criteria for births and deaths provided to the Euro-Peristat project for 2010 Estimates of proportion of women smoking during pregnancy in routine data according to period for which data were collected in 2010 Proportion of women with live births or stillbirths who were of foreign origin (or nationality or ethnicity) as defined by country of birth in 2010 Percentage of very preterm babies born in the most specialised units as defined by national classifications of levels of care in 2010 Coverage of the European population, birth year 2010, by EUROCAT full or associate member registries Prevalence rates (per 1000 births) of EUROCAT congenital anomaly subgroups (2006-2010), for all EUROCAT full member registries combined* Prenatal diagnosis of 18 selected congenital anomaly subgroups (2006-2010)	46 47 65 71 100 174
Table 3.1 Table 3.2 Table 4.1 Table 4.2 Table 5.1 Table 8.1. Table 8.2	Main sources of data used by Euro-Peristat in 29 European countries for 2010 Inclusion criteria for births and deaths provided to the Euro-Peristat project for 2010 Estimates of proportion of women smoking during pregnancy in routine data according to period for which data were collected in 2010 Proportion of women with live births or stillbirths who were of foreign origin (or nationality or ethnicity) as defined by country of birth in 2010 Percentage of very preterm babies born in the most specialised units as defined by national classifications of levels of care in 2010 Coverage of the European population, birth year 2010, by EUROCAT full or associate member registries Prevalence rates (per 1000 births) of EUROCAT congenital anomaly subgroups (2006-2010), for all EUROCAT full member registries combined* Prenatal diagnosis of 18 selected congenital anomaly subgroups (2006-2010) Rate of TOPFA and rates of perinatal deaths (per 1000 births) by	46 47 65 71 100 174 176
Table 3.1 Table 3.2 Table 4.1 Table 4.2 Table 5.1 Table 8.1. Table 8.2 Table 8.3.	Main sources of data used by Euro-Peristat in 29 European countries for 2010 Inclusion criteria for births and deaths provided to the Euro-Peristat project for 2010 Estimates of proportion of women smoking during pregnancy in routine data according to period for which data were collected in 2010 Proportion of women with live births or stillbirths who were of foreign origin (or nationality or ethnicity) as defined by country of birth in 2010 Percentage of very preterm babies born in the most specialised units as defined by national classifications of levels of care in 2010 Coverage of the European population, birth year 2010, by EUROCAT full or associate member registries Prevalence rates (per 1000 births) of EUROCAT congenital anomaly subgroups (2006-2010), for all EUROCAT full member registries combined* Prenatal diagnosis of 18 selected congenital anomaly subgroups (2006-2010) Rate of TOPFA and rates of perinatal deaths (per 1000 births) by country (2006-2010), for 13 EUROCAT full member registries	46 47 65 71 100 174 176 178
Table 3.1 Table 3.2 Table 4.1 Table 4.2 Table 5.1 Table 8.1. Table 8.2 Table 8.3. Table 8.4.	Main sources of data used by Euro-Peristat in 29 European countries for 2010 Inclusion criteria for births and deaths provided to the Euro-Peristat project for 2010 Estimates of proportion of women smoking during pregnancy in routine data according to period for which data were collected in 2010 Proportion of women with live births or stillbirths who were of foreign origin (or nationality or ethnicity) as defined by country of birth in 2010 Percentage of very preterm babies born in the most specialised units as defined by national classifications of levels of care in 2010 Coverage of the European population, birth year 2010, by EUROCAT full or associate member registries Prevalence rates (per 1000 births) of EUROCAT congenital anomaly subgroups (2006-2010), for all EUROCAT full member registries combined* Prenatal diagnosis of 18 selected congenital anomaly subgroups (2006-2010) Rate of TOPFA and rates of perinatal deaths (per 1000 births) by	46 47 65 71 100 174 176 178
Table 3.1 Table 3.2 Table 4.1 Table 4.2 Table 5.1 Table 8.1. Table 8.2 Table 8.3. Table 8.4.	Main sources of data used by Euro-Peristat in 29 European countries for 2010 Inclusion criteria for births and deaths provided to the Euro-Peristat project for 2010 Estimates of proportion of women smoking during pregnancy in routine data according to period for which data were collected in 2010 Proportion of women with live births or stillbirths who were of foreign origin (or nationality or ethnicity) as defined by country of birth in 2010 Percentage of very preterm babies born in the most specialised units as defined by national classifications of levels of care in 2010 Coverage of the European population, birth year 2010, by EUROCAT full or associate member registries Prevalence rates (per 1000 births) of EUROCAT congenital anomaly subgroups (2006-2010), for all EUROCAT full member registries combined* Prenatal diagnosis of 18 selected congenital anomaly subgroups (2006-2010) Rate of TOPFA and rates of perinatal deaths (per 1000 births) by country (2006-2010), for 13 EUROCAT full member registries Gestational age and prevalence rate (per 1000 births) of TOPFA for	46 47 65 71 100 174 176 178
Table 3.1 Table 3.2 Table 4.1 Table 4.2 Table 5.1 Table 8.1. Table 8.2 Table 8.3. Table 8.4. Table 8.5.	Main sources of data used by Euro-Peristat in 29 European countries for 2010 Inclusion criteria for births and deaths provided to the Euro-Peristat project for 2010 Estimates of proportion of women smoking during pregnancy in routine data according to period for which data were collected in 2010 Proportion of women with live births or stillbirths who were of foreign origin (or nationality or ethnicity) as defined by country of birth in 2010 Percentage of very preterm babies born in the most specialised units as defined by national classifications of levels of care in 2010 Coverage of the European population, birth year 2010, by EUROCAT full or associate member registries Prevalence rates (per 1000 births) of EUROCAT congenital anomaly subgroups (2006-2010), for all EUROCAT full member registries combined* Prenatal diagnosis of 18 selected congenital anomaly subgroups (2006-2010) Rate of TOPFA and rates of perinatal deaths (per 1000 births) by country (2006-2010), for 13 EUROCAT full member registries Gestational age and prevalence rate (per 1000 births) of TOPFA for all anomalies, by EUROCAT registry in 2010	46 47 65 71 100 174 176 178

## ABBREVIATIONS AND ACRONYMS

AED Antiepileptic drug

ART Assisted reproductive techniques

BMI Body mass index

CHD Congenital heart disease

CP Cerebral palsies

ESPR European Society for Paediatric Research

EU European Union

FGR Fetal growth restriction FMR Fetal mortality rate

ICD-10 International Classification of Diseases, 10th revision

ICU Intensive care unit
IVF In vitro fertilisation

IVH Intraventicular haemorrhage MMR Maternity mortality ratio NICU Neonatal intensive care unit

NTD Neural tube defect

PDA Symptomatic patent ductus arteriosus

PPH Postpartum haemorrhage

SCPE Surveillance of Cerebral Palsy in Europe

SES Socioeconomic status
TOP Termination of pregnancy

TOPFA Termination of pregnancy for fetal anomaly

VLBW Very low birth weight WHO World Health Organisation